



The Airtrack is an inflatable rescue path used by the majority of the rescue services for accessing casualties during rescue on water, mud, ice and unstable terrain.

Constructed in a catamaran shape, the Airtrack has two sponsons running lengthways down the underside of the path. This shape provides exceptional stability on water, especially during casualty recovery. It also offers clearance on ice, mud flats and unstable terrain, and prevents suction onto mud and soft surfaces.

The Airtrack rescue path is available in various sizes, from 2 to 15m in length. To span greater distances or for increased capacity, several inflatable paths can be connected using the rapid extension link-up feature. Airtracks can either be connected lengthways to extend the path, or sideways to create a rescue raft, making the Airtrack a truly versatile piece of water rescue equipment.

The Airtrack is compact and portable, packing away neatly into the carrying valise provided. It can be inflated and deployed quickly allowing rescue personnel access to the casualty within minutes.

FEATURES

- Lightweight and easily portable
- Inflated from a single point for speed of inflation and air transfer valves are fitted between the path and the sponsons to isolate the separate chambers
- Non-slip top surface
- Strong and durable for a long service life
- Dropstitch construction creates a firm flat surface to walk on
- Reflective tapes are fitted for night time visibility
- Airtracks can easily be connected end to end using the joining hooks supplied
- Airtracks can also be connected sideways to create a rescue raft
- Can be used as a temporary pontoon, rescue raft, platform or access path


- The Airtrack is fitted with strong ground anchor points
- Stowage pockets are fitted to the end of the Airtrack each containing a rescue line and rubber ring
- Lifelines are fitted to all sides of the Airtrack
- Towing points are fitted to both ends of the Airtrack
- Minimal training, servicing and maintenance costs

USED FOR

- Mud rescue
- Flood Rescue
- River Rescue
- Ice Rescue
- Casualty Recovery
- Unstable Terrain

TECHNICAL DATA	2M	3M	4M	5M	10M
Product Code	WR0011	WR0012	WR0013	WR0014	WR0015
Length (cm)	200	300	400	500	1000
Width (cm)	137	137	137	137	137
Height (cm)	25	25	25	25	25
Capacity (kg)	200	300	400	500	1000
Air Requirements (ltr)	640	960	1280	1600	3200
Pack Size (cm)	82 x 48 x 24	87 x 48 x 28	87 x 48 x 32	87 x 48 x 35	89 x 73 x 50
Weight (kg)	12	17	22	28	55
Recommended Regulator	8 bar	8 bar	8 bar	8 bar	8 bar

DETAIL DRAWING



SUPPLIED WITH

- ① Stowage pocket (x2)
- ② End joining hooks (x2)
- ③ D-rings (x2)
- ④ Side joining rings and webbing (x3)
- ⑤ Anchorage points (x2)
- ⑥ Grab lines along the length and ends of the path
 - Valise
 - Repair kit
 - Delivery hose (1m)
 - Rescue line & quoit (x2)


OPTIONS

- Branding/Lettering
- 8 bar regulator
- Foot or Hand Pumps
- Electric inflater
- Additional Stowage Pockets


OPTIONS FOR INFLATION



B.A. Cylinder
(By others)




8 bar Regulator
(RE0034)
Regulator with
fixed hose
(RE0034/006)



1m Delivery Hose
(Supplied with sled
HS-04-05-01-16-06)



**Bravo10 Foot
Pump**
(180006)



**Bravo 4 ALU R.E.D Hand
Pump**
(180001)

